




RECEPTACLES

00 WALL MOUNT RECEPTACLE

-0 ACCESSORY STYLE

RAP-00XXXX-2XXX0

- Rear or Front Panel Mount
- Busbar termination
- No rear accessory



REFERENCE DIMENSIONS, INCH (mm)									
ALL DIMENSIONS ARE COMMON FOR PIN AND SOCKET VERSIONS									
Size	A	B	C	D	E	F	G	H	J
15	1.338 (33.99)	1.677 (42.59)	1.199 (30.45)	0.999 (25.37)	1.219 (30.96)	0.969 (24.61)	0.906 (23.01)	0.391 (9.93)	1/4-20 UNC
17	1.502 (38.15)	1.859 (47.21)	1.262 (32.05)	0.999 (25.37)	1.312 (33.32)	1.062 (26.97)	0.969 (24.61)	0.510 (12.95)	5/16-18 UNC
19	1.685 (42.80)	2.040 (51.82)	1.325 (33.66)	0.999 (25.37)	1.438 (36.53)	1.156 (29.36)	1.062 (26.97)	0.587 (14.91)	5/16-18 UNC
21	1.664 (42.27)	2.157 (54.79)	1.442 (36.63)	1.116 (28.35)	1.562 (39.67)	1.250 (31.75)	1.156 (29.36)	0.667 (16.94)	3/8-16 UNC
23	1.654 (42.01)	2.449 (62.20)	1.656 (42.06)	1.236 (31.39)	1.689 (42.90)	1.375 (34.93)	1.250 (31.75)	0.746 (18.95)	1/2-13 UNC
25	1.735 (44.07)	2.449 (62.20)	1.656 (42.06)	1.236 (31.39)	1.812 (46.02)	1.500 (38.10)	1.375 (34.93)	0.746 (18.95)	1/2-13UNC




RECEPTACLES

00 WALL MOUNT RECEPTACLE

-0 ACCESSORY STYLE

RAP-00XXXX-3XXX0

- Rear or Front Panel Mount
- Busbar termination
- No rear accessory



REFERENCE DIMENSIONS, INCH (mm)									
ALL DIMENSIONS ARE COMMON FOR PIN AND SOCKET VERSIONS									
Size	A	B	C	D	E	F	G	H	J
15	1.338 (33.99)	1.947 (49.45)	1.514 (38.46)	0.999 (25.37)	0.285 (7.24)	0.145 (3.68)	1.219 (30.96)	0.969 (24.61)	0.906 (23.01)
17	1.502 (38.15)	1.947 (49.45)	1.514 (38.46)	0.999 (25.37)	0.358 (9.09)	0.205 (5.21)	1.312 (33.32)	1.062 (26.97)	0.969 (24.61)
19	1.685 (42.80)	1.947 (49.45)	1.514 (38.46)	0.999 (25.37)	0.358 (9.09)	0.205 (5.21)	1.438 (36.53)	1.156 (29.36)	1.062 (26.97)
21	1.664 (42.27)	2.064 (52.43)	1.631 (41.43)	1.116 (28.35)	0.429 (10.90)	0.205 (5.21)	1.562 (39.67)	1.250 (31.75)	1.156 (29.36)
23	1.654 (42.01)	2.33 (59.41)	1.867 (47.42)	1.236 (31.39)	0.522 (13.26)	0.255 (6.48)	1.689 (42.90)	1.375 (34.93)	1.250 (31.75)
25	1.735 (44.07)	2.33 (59.41)	1.867 (47.42)	1.236 (31.39)	0.522 (13.26)	0.255 (6.48)	1.812 (46.02)	1.500 (38.10)	1.375 (34.93)




RECEPTACLES

00 WALL MOUNT RECEPTACLE

-0 ACCESSORY STYLE

RAP-00XXXX-5XXX0

- Rear or Front Panel Mount
- Busbar termination
- No rear accessory






REFERENCE DIMENSIONS, INCH (mm)								
ALL DIMENSIONS ARE COMMON FOR PIN AND SOCKET VERSIONS								
Size	A	B	C	D	E	F	G	H
15	1.338 (33.99)	1.199 (30.45)	0.999 (25.37)	1.219 (30.96)	0.969 (24.61)	0.906 (23.01)	0.391 (9.93)	1/4-20 UNC
17	1.502 (38.15)	1.262 (32.05)	0.999 (25.37)	1.312 (33.32)	1.062 (26.97)	0.969 (24.61)	0.510 (12.95)	5/16-18 UNC
19	1.685 (42.80)	1.325 (33.66)	0.999 (25.37)	1.438 (36.53)	1.156 (29.36)	1.062 (26.97)	0.587 (14.91)	5/16-18 UNC
21	1.664 (42.27)	1.442 (36.63)	1.116 (28.35)	1.562 (39.67)	1.250 (31.75)	1.156 (29.36)	0.667 (16.94)	3/8-16 UNC
23	1.654 (42.01)	1.656 (42.06)	1.236 (31.39)	1.689 (42.90)	1.375 (34.93)	1.250 (31.75)	0.746 (18.95)	1/2-13 UNC
25	1.735 (44.07)	1.656 (42.06)	1.236 (31.39)	1.812 (46.02)	1.500 (38.10)	1.375 (34.93)	0.746 (18.95)	1/2-13UNC

RECEPTACLES

00 WALL MOUNT RECEPTACLE
-B ACCESSORY STYLE

RAP-00XXXX-1XXXX

- Rear Panel Mount
- Screened or unscreened cable termination with crimp contacts
- 360° screened straight backshell



REFERENCE DIMENSIONS, INCH (mm)						
ALL DIMENSIONS ARE COMMON FOR PIN AND SOCKET VERSIONS						
Size	A	B	C	D	E	ØF
15	1.035 (26.29)	3.454 (87.73)	1.219 (30.96)	0.969 (24.61)	0.906 (23.01)	1.142 (29.01)
17	1.175 (29.85)	3.624 (92.05)	1.312 (33.32)	1.062 (26.97)	0.969 (24.61)	1.396 (35.46)
19	1.315 (33.40)	3.734 (94.84)	1.438 (36.53)	1.156 (29.36)	1.062 (26.97)	1.528 (38.81)
21	1.455 (36.96)	4.627 (117.53)	1.562 (39.67)	1.250 (31.75)	1.156 (29.36)	1.599 (40.61)
23	1.595 (40.51)	4.847 (123.11)	1.689 (42.90)	1.375 (34.93)	1.250 (31.75)	1.764 (44.81)
25	1.735 (44.07)	4.947 (125.65)	1.812 (46.02)	1.500 (38.10)	1.375 (34.93)	1.889 (47.98)

Note: Dimension B – when nut at start of engagement




RECEPTACLES

07 REAR MOUNT JAM NUT RECEPTACLE

-0 ACCESSORY STYLE

RAP-07XXXX-2XXX0

- Rear Panel Mount
- Busbar termination
- No rear accessory



REFERENCE DIMENSIONS, INCH (mm) ALL DIMENSIONS ARE COMMON FOR PIN AND SOCKET VERSIONS								
Size	A	B	C	D	E	F	ØG	H
15	1.454 (36.93)	1.561 (39.65)	1.083 (27.51)	0.883 (22.43)	1.500 (38.10)	0.391 (9.93)	1.625 (41.28)	1/4-20 UNC
17	1.618 (41.10)	1.743 (44.27)	1.146 (29.11)	0.883 (22.43)	1.625 (41.28)	0.510 (12.95)	1.750 (44.45)	5/16-18 UNC
19	1.801 (45.75)	1.924 (48.87)	1.209 (30.71)	0.883 (22.43)	1.812 (46.02)	0.587 (14.91)	1.936 (49.17)	5/16-18 UNC
21	1.780 (45.21)	2.041 (51.84)	1.326 (33.68)	1.000 (25.40)	1.938 (49.23)	0.667 (16.94)	2.062 (52.37)	3/8-16 UNC
23	1.890 (48.01)	2.213 (56.21)	1.420 (36.07)	1.000 (25.40)	2.062 (52.37)	0.746 (18.95)	2.188 (55.58)	1/2-13 UNC
25	1.971 (50.06)	2.213 (56.21)	1.420 (36.07)	1.000 (25.40)	2.188 (55.58)	0.746 (18.95)	2.311 (58.70)	1/2-13UNC




RECEPTACLES

07 REAR MOUNT JAM NUT RECEPTACLE

-0 ACCESSORY STYLE

RAP-07XXXX-3XXX0

- Rear Panel Mount
- Busbar termination
- No rear accessory



REFERENCE DIMENSIONS, INCH (mm)								
ALL DIMENSIONS ARE COMMON FOR PIN AND SOCKET VERSIONS								
Size	A	B	C	D	E	F	G	ØH
15	1.454 (36.93)	1.831 (46.51)	1.398 (35.51)	0.883 (22.43)	0.285 (7.24)	0.145 (3.68)	1.500 (38.10)	1.625 (41.28)
17	1.618 (41.10)	1.831 (46.51)	1.398 (35.51)	0.883 (22.43)	0.358 (9.09)	0.205 (5.21)	1.625 (41.28)	1.750 (44.45)
19	1.801 (45.75)	1.831 (46.51)	1.398 (35.51)	0.883 (22.43)	0.358 (9.09)	0.205 (5.21)	1.812 (46.02)	1.936 (49.17)
21	1.780 (45.21)	1.948 (49.48)	1.515 (38.48)	1.000 (25.40)	0.429 (10.90)	0.205 (5.21)	1.938 (49.23)	2.062 (52.37)
23	1.890 (48.01)	2.103 (53.42)	1.631 (41.43)	1.000 (25.40)	0.522 (13.26)	0.255 (6.48)	2.062 (52.37)	2.188 (55.58)
25	1.971 (50.06)	2.103 (53.42)	1.631 (41.43)	1.000 (25.40)	0.522 (13.26)	0.255 (6.48)	2.188 (55.58)	2.311 (58.70)




RECEPTACLES

07 REAR MOUNT JAM NUT RECEPTACLE

-0 ACCESSORY STYLE

RAP-07XXXX-5XXX0

- Rear Panel Mount
- Busbar termination
- No rear accessory



REFERENCE DIMENSIONS, INCH (mm) ALL DIMENSIONS ARE COMMON FOR PIN AND SOCKET VERSIONS							
Size	A	B	C	D	E	ØF	G
15	1.454 (36.93)	1.083 (27.51)	0.883 (22.43)	1.500 (38.10)	0.391 (9.93)	1.625 (41.28)	1/4-20 UNC
17	1.618 (41.10)	1.146 (29.11)	0.883 (22.43)	1.625 (41.28)	0.510 (12.95)	1.750 (44.45)	5/16-18 UNC
19	1.801 (45.75)	1.209 (30.71)	0.883 (22.43)	1.812 (46.02)	0.587 (14.91)	1.936 (49.17)	5/16-18 UNC
21	1.780 (45.21)	1.326 (33.68)	1.000 (25.40)	1.938 (49.23)	0.667 (16.94)	2.062 (52.37)	3/8-16 UNC
23	1.890 (48.01)	1.420 (36.07)	1.000 (25.40)	2.062 (52.37)	0.746 (18.95)	2.188 (55.58)	1/2-13 UNC
25	1.971 (50.06)	1.420 (36.07)	1.000 (25.40)	2.188 (55.58)	0.746 (18.95)	2.311 (58.70)	1/2-13UNC




RECEPTACLES

07 REAR MOUNT JAM NUT RECEPTACLE

-B ACCESSORY STYLE

RAP-07XXXX-1XXXB

- Rear Panel Mount
- Screened or unshielded cable termination with crimp contacts
- 360° screened straight backshell



REFERENCE DIMENSIONS, INCH (mm)				
ALL DIMENSIONS ARE COMMON FOR PIN AND SOCKET VERSIONS				
Size	A	B	C	ØD
15	1.171 (29.74)	3.194 (81.13)	1.500 (38.10)	1.625 (41.28)
17	1.311 (33.30)	3.334 (84.68)	1.625 (41.28)	1.750 (44.45)
19	1.451 (36.86)	3.514 (89.26)	1.812 (46.02)	1.936 (49.17)
21	1.591 (40.41)	4.627 (117.53)	1.938 (49.23)	2.062 (52.37)
23	1.811 (46.00)	4.847 (123.12)	2.062 (52.37)	2.188 (55.58)
25	1.951 (49.56)	4.947 (125.65)	2.188 (55.58)	2.311 (58.70)

Note: Dimension B – when nut at start of engagement




RECEPTACLES

17 FRONT MOUNT JAM NUT RECEPTACLE

-0 ACCESSORY STYLE

RAP-17XXX-2XXX0

- Front Panel Mount
- Busbar termination
- No rear accessory



REFERENCE DIMENSIONS, INCH (mm)								
ALL DIMENSIONS ARE COMMON FOR PIN AND SOCKET VERSIONS								
Size	A	B	C	D	E	F	ØG	H
15	1.246 (31.65)	1.768 (44.91)	1.290 (32.77)	1.090 (27.69)	1.500 (38.10)	0.391 (9.93)	1.625 (41.28)	1/4-20 UNC
17	1.410 (35.81)	1.950 (49.53)	1.353 (34.37)	1.090 (27.69)	1.625 (41.28)	0.510 (12.95)	1.750 (44.45)	5/16-18 UNC
19	1.593 (40.46)	2.131 (54.13)	1.416 (35.97)	1.090 (27.69)	1.812 (46.02)	0.587 (14.91)	1.936 (49.17)	5/16-18 UNC
21	1.572 (39.93)	2.248 (57.10)	1.533 (38.94)	1.207 (30.66)	1.938 (49.23)	0.667 (16.94)	2.062 (52.37)	3/8-16 UNC
23	1.802 (45.77)	2.300 (58.42)	1.507 (38.28)	1.087 (27.61)	2.062 (52.37)	0.746 (18.95)	2.188 (55.58)	1/2-13 UNC
25	1.833 (46.56)	2.300 (58.42)	1.507 (38.28)	1.087 (27.61)	2.188 (55.58)	0.746 (18.95)	2.311 (58.70)	1/2-13UNC




RECEPTACLES

17 FRONT MOUNT JAM NUT RECEPTACLE

-0 ACCESSORY STYLE

RAP-17XXXX-3XXX0

- Front Panel Mount
- Busbar termination
- No rear accessory



REFERENCE DIMENSIONS, INCH (mm)								
ALL DIMENSIONS ARE COMMON FOR PIN AND SOCKET VERSIONS								
Size	A	B	C	D	E	F	G	ØH
15	1.246 (31.65)	1.831 (46.51)	1.605 (40.77)	1.090 (27.69)	0.285 (7.24)	0.145 (3.68)	1.500 (38.10)	1.625 (41.28)
17	1.410 (35.81)	1.831 (46.51)	1.605 (40.77)	1.090 (27.69)	0.358 (9.09)	0.205 (5.21)	1.625 (41.28)	1.750 (44.45)
19	1.593 (40.46)	1.831 (46.51)	1.605 (40.77)	1.090 (27.69)	0.358 (9.09)	0.205 (5.21)	1.812 (46.02)	1.936 (49.17)
21	1.572 (39.93)	1.948 (49.48)	1.722 (43.74)	1.207 (30.66)	0.429 (10.90)	0.205 (5.21)	1.938 (49.23)	2.062 (52.37)
23	1.802 (45.77)	2.103 (53.42)	1.718 (43.64)	1.087 (27.61)	0.522 (13.26)	0.255 (6.48)	2.062 (52.37)	2.188 (55.58)
25	1.833 (46.56)	2.103 (53.42)	1.718 (43.64)	1.087 (27.61)	0.522 (13.26)	0.255 (6.48)	2.188 (55.58)	2.311 (58.70)




RECEPTACLES

17 FRONT MOUNT JAM NUT RECEPTACLE

-0 ACCESSORY STYLE

RAP-17XXX-5XXX0

- Front Panel Mount
- Busbar termination
- No rear accessory



REFERENCE DIMENSIONS, INCH (mm)							
ALL DIMENSIONS ARE COMMON FOR PIN AND SOCKET VERSIONS							
Size	A	B	C	D	E	ØF	G
15	1.246 (31.65)	1.290 (32.77)	1.090 (27.69)	1.500 (38.10)	0.391 (9.93)	1.625 (41.28)	1/4-20 UNC
17	1.410 (35.81)	1.353 (34.37)	1.090 (27.69)	1.625 (41.28)	0.510 (12.95)	1.812 (46.02)	5/16-18 UNC
19	1.593 (40.46)	1.416 (35.97)	1.090 (27.69)	1.812 (46.02)	0.587 (14.91)	1.938 (49.23)	5/16-18 UNC
21	1.572 (39.93)	1.533 (38.94)	1.207 (30.66)	1.938 (49.23)	0.667 (16.94)	2.062 (52.37)	3/8-16 UNC
23	1.802 (45.77)	1.507 (38.28)	1.087 (27.61)	2.062 (52.37)	0.746 (18.95)	2.188 (55.58)	1/2-13 UNC
25	1.833 (46.56)	1.507 (38.28)	1.087 (27.61)	2.188 (55.58)	0.746 (18.95)	2.311 (58.70)	1/2-13UNC